



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/325,110	06/03/1999	CARL S. ANSELMO	PD-990033	2415

20991 7590 11/12/2002

HUGHES ELECTRONICS CORPORATION  
PATENT DOCKET ADMINISTRATION  
BLDG 001 M/S A109  
P O BOX 956  
EL SEGUNDO, CA 902450956

EXAMINER

CHOW, CHARLES CHIANG

ART UNIT	PAPER NUMBER
----------	--------------

2684

DATE MAILED: 11/12/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/325,110

Applicant(s)

ANSELMO, CARL S.

Examiner

Charles Chow

Art Unit

2684

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 06 September 2002.
- 2a) ☒ This action is FINAL. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-8,10-13 and 15-31 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-8,10-13 and 15-31 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) Z.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

Art Unit: 2684

**Office Action for  
Applicant's Amendment  
(September/6/2002)**

1. Regarding applicant's amendment in claims 1, 15 and added new claims 22-31, based on the no teaching for a routing table storing tuning information; the synthesizer tuning in response to the tuning information; the reconfiguration circuit coupled to the communication control having the frequency synthesizer, on-board computer, and routing table having stored tuning information; Patent to Brown et al. teaches the satellite communication apparatus and system for handling large capacity (abstract, figure in cover page, summary of invention). In Fig. 37, the routing information is stored in the cache memory 420. In Fig. 85, 86, Brown considered the utilization of the routing table 1120 for the routers. In Fig. 27, 28 Brown considered the synthesizer 284, 308, in the reconfiguring circuit, for tuning to the frequency according to the routing table above, and the on-board computer (adaptive routing processor), for selecting the best route pathway according to routing table (col. 17, line 8-42; col. 43, line 46 to col. 44, line 9).

Brown also teaches the satellite for steering antenna using phase shift delay connected to each antenna element for changing of beam amplitude, phase due to tuning in routing table (col. 14, line 15 to col. 15, line 5). Brown teaches the maintaining of the spacecraft's orientation for the east/west, north/south station keeping (col. 30, lines 7-20);

Brown also teaches the constantly updating of the route information in the cache memory and receive route information for the updating the routing table from order wire, from RF control channel (col. 43, line 46 to col. 44, line 9; col. 49, lines 10-20).

*Claim Rejections - 35 USC § 103*

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sherman et al. (US 6,021,309) in view of Floury et al. (US 5,963,845), and further in view of Brown et al. (US 6,157,621).

Regarding **claim 1**, Sherman discloses a system for providing high frequency data communications (system in abstract, col. 8, line 32, and the packet based TDMA, in gigahertz, col. 2, lines 62-66) in satellite-based communications network (network in front figure, Fig. 1, gateway 56, local telephone exchange). The system comprises plurality of satellites (22, 24, 26, Fig. 1). Sherman discloses each satellite having uplink and downlink antennas capable of receiving and transmitting a plurality of signals (up/down links for 36, 38, 40, 42, 48, 50 in Fig. 1; col. 9, lines 65 to col. 10, line 2; col. 10, lines 24-31). Sherman discloses the reconfigurable satellite from the bi-weekly minute-by-minute allocation plans and the frequency allocation (abstract, front figure, channel allocation model 206; col. 11, lines 13-24, channel allocation based upon policy, interference, capacity).

Sherman fails to indicate the details of the control circuit.

Art Unit: 2684

Floury teaches the control circuit (Fig. 4, 5, TC1-16, col. 9, lines 22-28). Floury teaches the satellite has the programmable frequency synthesizer (the reconfigurable frequency synthesizer adapted to change the frequencies upon receiving the command from the ground station, col. 9, lines 28-38, col. 12, lines 29-46).

Floury teaches a controller located on said satellite coupled to said communications control circuit (Fig. 4, col. 4, lines 28-37, the TC1 to TC16, OL11-OL161, for controlling the frequency converters in the transponder; the receiving configuration command from the ground to control the frequencies). Floury teaches the controller controlling a frequency reconfiguration of said communications control circuit through said programmable frequency synthesizer (the reconfigurable frequency synthesizer for command from the ground controller, as shown in col. 4, col. 9, col. 12 above). It is apparently, obviously, an improvement to reduce the large number of channel conversion in the spacecraft satellite, such that the satellite payload-equipment could function efficiently with less crosstalk and channel interference (col. 3, line 2; col. 3, lines 20-30). Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify and add Floury's satellite with transparent channel-frequencies selected from other plurality frequencies, to Sherman, such that the system could be adapted to change the frequencies, to save a large number of frequency conversions, and to reduce the channel interference. Beside, in cited below, Thompson et al. teaches the configurable satellite also.

In the above it does not clearly indicate a routing table storing tuning information, for the synthesizer tuning.

Art Unit: 2684

Brown teaches the routing table having the synthesizer tuning information; the on-board computer (adaptive routing processor) for a satellite communication apparatus and system for handling large capacity (abstract, figure in cover page, summary of invention). In Fig. 37, the routing information is stored in the cache memory 420. In Fig. 85, 86, Brown considered the utilization of the routing table 1120 for the routers. In Fig. 27, 28 Brown considered the synthesizer 284, 308, in the reconfiguring circuit, for tuning to the frequency according to the routing table above. Brown considered the utilization of the on-board computer, the adaptive routing processor for selecting the best route pathway according to routing table (col. 17, line 8-42; col. 43, line 46 to col. 44, line 9). Brown provides the solution for selecting of the best routing path utilizing the route table information to change the synthesizer frequency tuning, as shown above, such that the route could be the best path. It is apparently obvious to include Brown's solution to select the best route path utilizing the route table information to change the synthesizer frequency tuning. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify and including Brown's solution, to Sherman as modified above, such that the best route path could be selected.

3. Claims 2-5, 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sherman in view of Floury, and further in view of Wiswell et al. (US 6,205,319 B1).

In the above, it does not include the beam forming network.

Wiswell teaches, **claim 2**, the comprising a beam forming network coupled to uplink and downlink antenna (front figure, the receive/transmit beam phased array 102-108, 120-126;

Art Unit: 2684

up/down converter 110) for the selectively adjusting of the amplitude and phase antenna beam for receiving/transmitting information (abstract, col. 1, lines 5-9; col. 2, lines 27-30), using fewer multi-beam antennas (col. 1, line 65 to col. 2, line 2; col. 2, lines 8-15).

Apparently, using fewer components, to optimize the multi-beam-antennas, is obviously an improvement. By doing so, the satellite would reduce the payload complexity, and the power requirement using fewer beam antennas. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify and add Wiswell's fewer beam phased array antennas for receiving and transmitting, to Sherman as modified above, such that the satellite payload would be efficient, with less complexity and save power requirement.

Regarding **claim 3**, referring to claim 2 above, Wiswell considered the control circuit of the up/down converters 110, the Lo/frequency generator 134, the payload computer 132 (front figure).

Regarding **claim 4**, referring to examiner's comment in claim 1 above, Floury taught the transponder for the control circuit (plurality of transponders receiving/transmitting microwave signals, col. 1, lines 7-8; Ku band transponder, col. 1, line 26; transponder in Fig. 2A, the circuitry connected to B-B' of Fig. 2D ).

Regarding **claim 5**, referring to examiner's comment in claim 1 above, Floury also taught the up/down converter for transponder in Fig. 2A, the circuitry connected to B-B' to Fig. 2D, the down conversion followed by up conversion.

Art Unit: 2684

Regarding **claim 7**, Wiswell teaches, the comprising a packet switch (packet switch, router 114, the FPS; the switch routing of information to particular region of interest, col. 4, lines 38-50, col. 4, lines 54-64). To add a packet switch for the receiving and transmitting antenna phase array is apparently providing the efficiency for information routing. Obviously by doing so, the information could be efficiently, immediately routed from the receiving to the transmitting phase array antennas, for the region of particular interest. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify and add Wiswell's packet switch router 114, to Sherman as modified above, such that the system could be efficiently route the particular information.

4. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sherman in view of Floury, and further in view of Black et al. (US 6,377,561 B1).

In the above, it does not include the time division multiple access switch.

Black teaches, **claim 6**, the control circuit comprising a time division multiple access switch (Fig. 6b satellite 67 comprises the switch for the source terminal/destination terminal having data stream 63-65, 68, uplink scheduler. The TDMA formats are supported also (col. 19, line 53-54; col. 19, line 55; col. 19, line 11-14; col.19, lines 17-25). The optimized multi-media network TDMA switch having the optimized dynamic bandwidth-on-demand for data communication is obviously a good feature for routing the packet data. By doing so, it is obviously providing a high performance network-access system, using the dynamic bandwidth-on-demand TDMA switch. Therefore, it would have been obvious to one of



Art Unit: 2684

ordinary skill in the art at the time of invention to modify and add Black's bandwidth-on-demand TDMA switch, to Sherman as modified above, such that the system could efficiently route the packet using the flexible resource-allocation from the scheduler's optimized bandwidth-on-demand to adjust the spot beam (abstract, bandwidth on-demand, col. 2, line 22-27; col. 2, line 40-46).

5. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sherman in view of Floury, and further in view of Galvin (US 6,182,927 B1).

In the above, it does not include the satellites for LEO, MEO, GSO

Galvin teaches, **claim 8**, the satellites for LEO, MEO, GSO (col. 6, lines 34-54, the low earth orbit satellites 50, GEO 52, the MEOs in Fig 6) for improving the satellite navigation accuracy (col. 2, line 47). By doing so, to add the augmentation satellites in LEO, or MEO or GEO, the navigation accuracy could be improved (col. 6, lines 34-37). Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify and add Galvin's adding different augmentation satellites, to Sherman as modified above, such that the system could be provide the navigation accuracy.

6. Claims 10-13, 15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sherman in view of Floury, and further in view of Wiswell et al. (US 6,205,319 B1).

Art Unit: 2684

Regarding **claim 10**, refer to examiner's comment in claim 3 above, which also provides the claimed features for the controlled up/down converter.

Regarding **claim 11**, refer to examiner's comment in claim 3 above, which also provides the claimed features for the transponder.

Regarding **claim 12**, refer to examiner's comment in claims 1, 3 above, which also provides the claimed features for the transponder having the up/down converter in Floury, Wiswell.

Regarding **claim 13**, refer to examiner's comment in claim 3 above, which also provides the claimed features for the programmable synthesizer coupled to up/down converter.

Regarding **claim 15**, refer to examiner's comment in claim 6 above, which also provides the claimed features for the routing tables (Fig. 7b; the link table update control and on board network controller, col. 18, lines 16-18).

Regarding the amended portion, referring to Brown above, for the receive/transmit array; the receiving/transmit beam forming network; the communication control circuit; the reconfiguration circuit comprising the synthesizer 284, 308; the on-board computer; the routing table for adaptive routing processor to tuning the synthesizer.

Regarding **claim 16**, refer to examiner's comment in claim 6 above, which also provides the claimed features for the time multiple access switch.

Regarding **claim 17**, refer to examiner's comment in claim 7 above, which also provides the claimed features for the packet switch.

7. Claims 18-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sherman in view of Floury, and further in view of Reesor (US 4, 472,720).

In the above, it does not include the repositioning a satellite.

Reesor teaches, **claim 18**, the repositioning a satellite from a network and moving the reconfigurable satellite into the network position (repositioning of the satellite based upon the phase error detected from the tone transmitted from the master satellite to the slaved satellites, abstract, front figure, Reesor's claim 2, repositioning satellites determined by correction signal). To synchronize the phase of the received signal to improve the signal quality is obviously a essential features to be included, such that the phase error could be reduced by repositioning the satellites. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify and add Reesor's repositioning, reconfiguring the positions of satellites, to Sherman as modified above, such that the phase error could be reduced.

Regarding **claim 19**, refer to examiner's comment in claim 1 above, which also provides the claimed features for the changing the up/down frequency.

Regarding **claim 20**, refer to examiner's comment in claim 1 above, which also provides the claimed features for the changing of the frequency in a programmable synthesizer.

Regarding **claim 21**, Wiswell taught the changing the amplitude or phase of the transmit/receive beam (abstract, and beam array antennas in front figure).

Regarding **claim 22**, referring to claim 1 above for the tuning information in the route table.

Regarding **claim 23**, referring to claim 1 above, Brown teaches the satellite for steering antenna using phase shift delay connected to each antenna element for changing of beam

Art Unit: 2684

phase, amplitude, for the antenna steering, for establishing communication link, due to routing (col. 14, line 15 to col. 15, line 5).

Regarding **claims 24, 25**, referring to Brown in claim 1 above for the maintaining of the spacecraft's orientation for the east/west, north/south station keeping (col. 30, lines 7-20);

Regarding **claims 26, 27, 30, 31**, referring to claim 1 above Brown teaches the constantly updating of the route information in the cache memory and receive route information for the updating the routing table from order wire, from RF control channel (col. 43, line 46 to col. 44, line 9; col. 49, lines 10-20).

Regarding **claim 28**, referring to claim 1 above for the reconfiguration; the storing tuning information in route table; the reconfiguration instruction; the reconfiguration in response to the tuning information in route table.

Regarding **claim 29**, referring to claim 23 above for the amplitude or phase changing due to tuning.

***Response to Arguments  
And  
Conclusion***

8. Applicant's arguments with respect to claims 1-8, 10-13, 15-31 have been considered but are moot in view of the new ground(s) of rejection.

Regarding applicant's amendment for a routing table storing tuning information; the synthesizer tuning in response to the tuning information; the reconfiguration circuit coupled to the communication control having the frequency synthesizer, on-board computer, and routing table having stored tuning information; patent to Brown et al. teaches the satellite communication apparatus and system for handling large capacity (abstract, figure in cover

page, summary of invention). In Fig. 37, the routing information is stored in the cache memory 420. In Fig. 85, 86, Brown considered the utilization of the routing table 1120 for the routers. In Fig. 27, 28 Brown considered the synthesizer 284, 308, in the reconfiguring circuit, for tuning to the frequency according to the routing table above, and the on-board computer (adaptive routing processor), for selecting the best route pathway according to routing table (col. 17, line 8-42; col. 43, line 46 to col. 44, line 9).

Brown also teaches the satellite for steering antenna using phase shift delay connected to each antenna element for changing of beam amplitude, phase due to tuning in routing table (col. 14, line 15 to col. 15, line 5). Brown teaches the maintaining of the spacecraft's orientation for the east/west, north/south station keeping (col. 30, lines 7-20);

Brown also teaches the constantly updating of the route information in the cache memory and receive route information for the updating the routing table from order wire, from RF control channel (col. 43, line 46 to col. 44, line 9; col. 49, lines 10-20). In view of the above disclosures, applicant's arguments are moot and claims 1-8, 10-13, 15-31 are remaining in the rejected manner.

9. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a).

Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end

Art Unit: 2684

of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles Chow whose telephone number is (703)-306-5615.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel Hunter, can be reached at (703)-308-6732.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231


or faxed to: (703) 872-9314 (for Technology Center 2600 only)

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA, Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.

Charles Chow

October 21, 2002.

  
10/24/02  
